

Withrow & Terranova

Professional Limited Liability Company

Attorneys At Law

Registered Patent Attorneys

*A High Technology Patent Practice*RECEIVED
CENTRAL FAX CENTER

MAY 12 2005

FACSIMILE TRANSMITTAL SHEET

TO:	FROM:
Examiner Johnny H. Hoang	Taylor M. Davenport, Esq.
COMPANY:	DATE:
USPTO - Art Unit 3747	05/12/05
FAX NUMBER:	TOTAL NO. OF PAGES INCLUDING COVER:
703-872-9306	10
PHONE NUMBER:	SENDER'S REFERENCE NUMBER:
	1068-001
RE:	YOUR REFERENCE NUMBER:
Response to Office Action	10/651,054

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ ORIGINAL TO FOLLOW

NOTES/COMMENTS:

Please find attached the following item:

- 1) Response to the Office Action Mailed March 11, 2005 (9 pages).

NOTE: The information contained in this transmission is privileged and confidential and intended ONLY for the individual or entity named above. If you should receive this transmission in error, please notify our office and return to the below address via the U.S. Postal Service.

201 SHANNON OAKS CIRCLE, SUITE 200

CARY, NC 27511

PH: (919) 654-4520

FAX: (919) 654-4521

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: John M. Thompson et al.
Serial No. 10/651,054
Filed: 08/28/2003
For: **ENGINE MISFIRE DETECTION SYSTEM**

Examiner: Hoang, Johnny H.
Art Unit: 3747

Mail Stop Amendment
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

RECEIVED
CENTRAL FAX CENTER

MAY 12 2005

Sir:

RESPONSE TO THE OFFICE ACTION MAILED MARCH 11, 2005

In response to the Office Action mailed March 11, 2005, Applicant offers the following amendments and remarks. If any fees are required in association with this response, the Director is hereby authorized to charge them to Deposit Account 50-1732, and consider this a petition therefor.